

EXHIBIT C

from **AUGUST 22**

WEEK 34

July 2005							August 2005						
S	M	T	W	T	F	S	S	M	T	W	T	F	S
1	2	3	4	5	6	7	1	2	3	4	5	6	7
8	9	10	11	12	13	14	8	9	10	11	12	13	14
15	16	17	18	19	20	21	15	16	17	18	19	20	21
22	23	24	25	26	27	28	22	23	24	25	26	27	28
29	30	31					29	30	31				

MONDAY, AUG. 22 234/131			TUESDAY, AUG. 23 235/130			WEDNESDAY, AUG. 24 236/129		
7	DL for Response to OIA	7	✓ Sulfate to I/E for	7	DL for Sulfate V for	7	DL for Sulfate V for	
15	as to "MOPISAN"	15	Intestinal Water	15	TLR "OTM"	15	TLR "OTM"	
30	Burs. 1285-125	30	Shyland 1228-32	30	Young 1950-1	30	Young 1950-1	
45		45		45		45		
8	DL for Sulfate V as to	8	DL for Response to	8	Sulfate in Sulfate V as to	8	Sulfate in Sulfate V as to	
15	"GREEN THUMB THEATRE"	15	OIA as to "LOYALTY PLUS"	15	"MICHELATA"	15	"MICHELATA"	
30	IEI 708-090	30	Turner 1966-3	30	Companie 1610-14	30	Companie 1610-14	
45		45		45		45		
9	DL for Sulfate V as to	9	DL for Response to	9	Sulfate in Response to	9	Sulfate in Response to	
15	"K KODICOM"	15	OIA as to Vibrator Motor	15	OIA as to TLR "PANTERA"	15	OIA as to TLR "PANTERA"	
30	Song 1203-84	30	Chin Li 1496-941	30	INSA 1391-16	30	INSA 1391-16	
45		45		45		45		
10	Sulfate in Sulfate V for	10	IDS DE FOR	10	Sulfate in Response to	10	Sulfate in Response to	
15	"FASITA CITAS"	15	TROPICAL HEAT EXCHANGE	15	OIA as to "PINTO TEJA"	15	OIA as to "PINTO TEJA"	
30	Kernan 1661-3	30	DEL CASTILLO 1124-6	30	INSA 1391-12	30	INSA 1391-12	
45		45		45		45		
11	Sulfate in Response to OIA	11	IDS DE FOR	11	✓ Sulfate as to Response	11	✓ Sulfate as to Response	
15	as to "GELATIN BIOTANIC"	15	ROTARY DIE LITER	15	OIA as to "ENRICOMARINELI"	15	OIA as to "ENRICOMARINELI"	
30	Ontaga 2004-5	30	PROINDIA 1730-2	30	Burs. 1285-114	30	Burs. 1285-114	
45		45		45		45		
12	Sulfate in Response to OIA	12	IDS DE FOR	12	DL for Response to	12	DL for Response to	
15	as to "BIOSUTRA"	15	GENUINE MULTIFRAGNE	15	as to "NEUREVA"	15	as to "NEUREVA"	
30	Ontaga 2004-4	30	CZECH TECH 1349-7	30	Binger 1429-	30	Binger 1429-	
45		45		45		45		
1	Sulfate in Response to OIA	1	DL for MP Ac	1	✓ Sulfate as to Response	1	✓ Sulfate as to Response	
15	as to "CALCICORAL PLUS"	15	Bray 818,102	15	OIA as to "L"	15	OIA as to "L"	
30	Ontaga 2004-3	30		30	Chin Li 4-1072	30	Chin Li 4-1072	
45		45		45		45		
2	Sulfate in Sulfate V as to	2	Sulfate in Response to OIA	2	DL for MP Ac	2	DL for MP Ac	
15	as to "LIPARRAN"	15	as to Walker Base	15	2101-1	15	2101-1	
30	Per-Mark 1433-20	30	Chin Li 1496-951	30		30		
45		45		45		45		
3	DL for I/E + F/D for	3	Sulfate in Response to	3	Sulfate in Response to	3	Sulfate in Response to	
15	Binger 1429-141	15	OIA as to "DEAMOSCANT"	15	OIA as to Chin Li 1496-968	15	OIA as to Chin Li 1496-968	
30	Parlase for Chocolate	30	Ravina 14	30	Applicator	30	Applicator	
45		45		45		45		
4	DL for MP Ac	4		4	Merfay and Kevin	4	Merfay and Kevin	
15	Ferrante 1011-30	15		15	Sorbell	15	Sorbell	
30		30		30	→ 7.2.987-123	30	→ 7.2.987-123	
45		45		45	at 10:00	45	at 10:00	
5	Sulfate in Response to	5		5		5		
15	OIA as to Bray 818,090	15		15		15		
30	Security Device	30		30		30		
45		45		45		45		
6		6		6		6		
15		15		15		15		
30		30		30		30		
45		45		45		45		
7		7		7		7		
15		15		15		15		
30		30		30		30		
45		45		45		45		
8		8		8		8		
15		15		15		15		
30		30		30		30		
45		45		45		45		

September 2005	October 2005
S M T W T F S	S M T W T F S
1 2 3 4 5 6 7	1 2 3 4 5 6 7
8 9 10 11 12 13 14	8 9 10 11 12 13 14
15 16 17 18 19 20 21	15 16 17 18 19 20 21
22 23 24 25 26 27 28	22 23 24 25 26 27 28
29 30	29 30 31

to **AUGUST 28**

THURSDAY, AUG. 25 237/128	FRIDAY, AUG. 26 238/127	SATURDAY, AUG. 27 239/126
7 ✓ ML AS TO F/F 15 WOUND LEVEL DETECTION 30 INDUSTRIAL CONTROL 2047-1 45	7 DL for Response to OIA 15 by term "ALBOR" 30 Aico 1611-29 45	7 DL for OIA Pk. 15 O. Farrell 1823-14 30 Traction, 45
8 ✓ ML AS TO F/F 15 DYS COOPER APPARUS 30 GEL TEST 1191-185 45	8 ✓ ML AS TO Response to 15 OIA on f "007" 30 Security 1905-16 45	8 DL for Response to OIA 15 at h "TUS DOME" 30 V.P. 1818-209 45
9 IDS DETECTOR 15 VORRICHTUNG ZUR 30 LENGE SCHWACH 1746-21 45	9 ✓ ML AS TO S.F.V. 15 for term "PRECISION" 30 Sh. Hand 1228-30 45	9 Seal in Response to OIA 15 at h "CONTACTS SECURITY" 30 JMSA 1391-14 45
10 IDS DETECTOR 15 FRONT FOR FULL RIM 30 DINGSTON GROUP 1719-107 45	10 ✓ ML AS TO Response 15 to OIA on h "XPEDE" 30 March 1811-55 45	10 Seal in Response to OIA 15 at h "FIREFOODS" 30 Bray 818, 098 45
11 IDS DETECTOR 15 REDUCED ELASTIC HINDO 30 DINGSTON GROUP 1719-108 45	11 ✓ ML AS TO S.F.V. 15 at h "LITTER MOBILE" 30 Hank 733, 007 45	11 Seal in Response to OIA 15 at h "MANUFACTURE" 30 Aico 1611-27 45
12 DL for Response to 15 OIA for h Cooling, 30 Agent 45 March 774, 050	12 DL for Response to OIA 15 at h Constant Chip Volume 30 D. Ag. Group 1719-42 45	12 Seal in Response to OIA 15 at h Takashim 849, 027 30 (A 898) 45
1 IDS DETECTOR 15 DOOR CLOSER 30 FRIEDRICH KREY 111-30 45	1 Seal in IIF for 15 Ler & Li 1970-7 30 Popula Station 45	1 Seal in Appeal Brief 15 for Gen. Tech 1101-154 30 Cap 45
2 Seal in MP for 15 D. Russo 1722-116 30 Solo 45	2 Seal in IIF for 15 D. Russo 1722-74 30 Sofa 45	2 IDS DETECTOR 15 HYDRAULIC PAPER PLANT 30 CHIN LI 4-1165 45
3 Seal in MP for 15 2074-3 30 45	3 Seal in IIF for 15 D. Russo 1722-109 30 Sofa 45	3 IDS DETECTOR 15 POSITIONING STRUCTURE 30 CHIN LI 4-1166 45
4	4 Seal in IIF for 15 Sofa 30 D. Russo 1722-75 45	4 Seal in Response to OIA 15 at h Takashim 849, 027 30 Hausenbail Treatment 45
5	5 DL for MP for 15 March 1811-61 30 45	5 DL for MP for 15 Blogger 1429-148 30 45
6	6 Seal in MP for 15 Sofa 30 D. Russo 1722-117 45	SUNDAY, AUG. 28 240/125 DL for IIF for Lively file 1981-1
7	7 (Meeting w/ Joe 2:00 15 Lunch break in at 1:00 30 281-433-1110 45	DL for Response in Lively at h "TUFF WALL" Mar'l Spm 1.6
8	8 15 30 45	

October 2025	November 2025
S M T W T F S	S M T W T F S
1 2 3 4 5 6 7	1 2 3 4 5 6 7
8 9 10 11 12 13 14	8 9 10 11 12 13 14
15 16 17 18 19 20 21	15 16 17 18 19 20 21
22 23 24 25 26 27 28	22 23 24 25 26 27 28
29 30 31	29 30

to **SEPTEMBER 25**

THURSDAY, SEPT. 22 266/100	FRIDAY, SEPT. 23 266/99	SATURDAY, SEPT. 24 267/98
7 15 DL for Response to OIA 30 as to "GLASSING BIOTINIC" 45 Ontario 2004-3	7 15 Seal in IPE for 30 Industrial Water 45 Shepherd 1228-32	7 15 DL for S of U for 30 "MICHELATA" 45 Company 1610-14
8 15 DL for Response to 30 OIA as to "BIOSUTRA" 45 Ontario 2004-4	8 15 Vule as to S of U 30 as to Arco 1611-25 45 PICCI	8 15 DL for Response to OIA 30 as to "PANTERA" 45 IMSA 1391-16
9 15 DL for S of U as 30 to "LITARRAN" 45 Premack 1433-20	9 15 Seal in annuity to 30 Australia for Valencia 45 (Ann. pt. 8 TY9412)	9 15 DL for Response to OIA 30 as to "PINTADELLA" 45 IMSA 1391-12
10 15 Seal in Response to 30 OIA as to "LADDER PRO" 45 ACCESSORIES Louise H. DL	10 15 Seal in annuity to 30 Canada for Valencia 45 1606-12 - 91-14-24	10 15 Seal in Response to OIA 30 as to "ENRICOMARIELLO" 45 BURCA 1285-114
11 15 Seal in Reg. for Exam 30 in Canada for 45 Valencia 1606-12	11 15 Seal in annuity to 30 Canada for Valencia 45 1606-14 - Gas L. H.	11 15 Seal in S of U as to 30 to "PRECISION" 45 Shepherd 1228-30
12 15 Seal in Reg. for Exam 30 in Canada for 45 Valencia 1606-14	12 15 Seal in annuity to Canada 30 for Valencia 1606-10 45 Chamber L. H.	12 15 Seal in Response to 30 OIA as to "XFODE" 45 March 1811-55
1 15 DL for Response to 30 OIA as to Security Drive 45 Bray 818, 090	1 15 DL for Response to OIA 30 as to Ch. Li 1496-951 45 Walker Box	1 15 Vule as to Response to 30 OIA as to "BANTA DI PUGLIA" 45 D. Russ 1722-98
2 15 Seal in Response to 30 OIA as to Lampshade 45 Ch. Li 4-1047	2 15 DL for Response to OIA 30 as to Application 45 Ch. Li 1496-968	2 15 Seal in Response to OIA 30 as to "L" 45 Ch. Li 4-1072
3 15 Seal in Response to 30 OIA as to Litter Box 45 H. Amos 733, 006	3 15 IDS DIE FOR 30 GRID STRIP 45 CHIN LI 4-1174	3 15 Vule as to Response to 30 OIA as to "BROADWAY" 45 Ch. Li 4-1091
4 15 DL for Response to OIA 30 as to N. Amos 1827-2 45 Anti-Fungal Compound	4 15 IDS DIE FOR 30 WIRELESS CONTROLLER 45 CHIN LI 4-1173	4 15 Vule as to Response to 30 OIA as to "LANDLEX" 45 Ch. Li 4-1073
5 15 Seal in MP for 30 March 1811-64	5 15 Vule as to Response to 30 OIA as to "CE-CC COLLECTION" 45 Margotas f.f.	5 15 Vule as to S of U 30 as to "QUIZ" 45 Bray 818, 082
6 15 30 45	6 15 DL for 30 Seal in IPE for Seat 45 D. Russ 1722-97	SUNDAY, SEPT. 25 268/97 15 Seal in FIF 30 LIQUID LEVEL DETECTION 45 INDUSTRIAL CONTROL 2007-1
7 15 30 45	7 15 30 45	15 Seal in FIF 30 DIET COMPLEX APPARATUS 45 CEN TECH 1101-185
8 15 30 45	8 15 30 45	

from **SEPTEMBER 26**

WEEK 39

August 2005							September 2005						
S	M	T	W	T	F	S	S	M	T	W	T	F	S
1	2	3	4	5	6	7	1	2	3	4	5	6	7
8	9	10	11	12	13	14	8	9	10	11	12	13	14
15	16	17	18	19	20	21	15	16	17	18	19	20	21
22	23	24	25	26	27	28	22	23	24	25	26	27	28
29	30	31					29	30	31				

MONDAY, SEPT. 26 269/96		TUESDAY, SEPT. 27 270/96		WEDNESDAY, SEPT. 28 271/94	
7	Send in Response to CIA as to "007" Security 1905-16	7	DL for Aprax (Brief for Gen. Tash 1101-754 Cap.	7	Send in Note 5 for Takeshima, 840,029 Hemorrhoid
8	Send in Response to DIA as to VP BUILDINGS VP 1818-4210	8	DL for IIF for D. Russo 1722-70 Sofa	8	DL for Response to CIA as to "BIO-1" Room 1512-55
9	Send in S of U in L "LITTER MOBILE" Hanks 733,007	9	DL for IIF for D. Russo 1722-110 Sofa	9	DL for Response to CIA as to "MANIACANE" Area 1611-40
10	DL for IIF + IIS for Lentil: 1970-7 Pseudo Static	10	DL for IIF for D. Russo 1722-103 Sofa	10	DL for Response to CIA as to "COSACCIO SEC. 4" JMSA 1291-14
11	DL for IIF for D. Russo 1722-74 Sofa	11	Send in annually to CIA for Moore (Cymen 699173) Shower Rod	11	DL for Response to CIA as to "FIRST FOUND" Bry 818,098
12	DL for IIF for D. Russo 1722-109 Sofa	12	Send in annually to CIA for Moore (Figue 1130991) Shower Rod	12	DL for Response to CIA as to "TCI 700E" RAMU 1438-5
1	DL for IIF for D. Russo 1722-75 Sofa	1	Send in annually to CIA for Moore (GB 1130991) Shower Rod	1	DL for Response to CIA as to "VI ENNA" NBSP 1257-25
2	DL for MP for Sofa D. Russo 1722-116	2	Send in Resp to DIA TRACTOR MACHINE LEMEKE BRMAER 1746-10	2	DL for annually to CIA as to Takeshima 840,027 (8 898)
3	DL for MI for Sofa D. Russo 1722-117	3	Send in Resp to DIA LIGHT SHEET YNGE 946,038	3	Send in Response to CIA as to "SMUGGL HEATH" Farrick 1111-26
4	Send in IIF + IIS for Chin Li 4-1065 Borgerue Grill	4	Send in Resp to DIA ELECTRIC FAN CHIN LI 1496,959	4	Send in Response to CIA as to Ayurvedic 1573-83 TIN "TOTAL CLEAR"
5	DL for MI for 2074-3	5	Send in Resp to DIA MULTI-SKEE SAILBOARD ROW. BENNETT 1750-3	5	DL for annually to CIA as to Hemorrhoid Firstaid Takeshima 840,027
6	Send in Response to CIA DIA as to Ignition Coil Marshall 1356-22	6	Send in Response to DIA as to Luggage Pull Rod Chin Li 4-1063	6	Send in annually to CIA for Double Resonant Marshall 1356-8
7	Send in MP for Chin Li 4-1148	7	Send in Response to CIA as to Tractor Machine Lemcke 1746-10	7	Send annually to China for Drive B. 11004 Marshall 1356-9
8	Send in MP for Chin Li 4-1185	8		8	Send in Resp to DIA NEXT LEADVIT CHIN LI 4-1092

from **OCTOBER 24**

WEEK 43

September 2005 October 2005
Baskin-Baldwin

MONDAY, OCT. 24

297/68

TUESDAY, OCT. 25

298/67

WEDNESDAY, OCT. 26

299/66

7 Unpaid Workers Day (US)
 15 DL for Response to OIA
 30 as to "ENRICHMENT WHEEL"
 45 Burren 1285-114

8 DL for Response to OIA
 15 as to "TH-1"
 30 Chin Li 4-1072

9 Seal in Response to OIA
 15 as to "BROADWAY"
 30 Chin Li 4-1091

10 Seal in Response to OIA
 15 as to "HANDCAX"
 30 Chin Li 4-1073

11 Seal in Seal V as X
 15 as to "OVIS"
 30 Burren 818, 082

12 Seal in Seal V as X
 15 as to "PICCI"
 30 Aiso 1611-25

1 DL for IIF for
 15 D. Russo 1722-97
 30 Seal

2 Seal in Response to OIA
 15 as to "SANDOWN"
 30 Chin Li 4-1069

3 Seal in Response to OIA
 15 as to "Polyphane Motor"
 30 Bigger 1429-128

4 Seal in Response to OIA
 15 as to "Can Cover"
 30 Nagano 771, 057

5 Seal in Response to OIA
 15 as to "Golf Club"
 30 D'Farrell 1823-21

6 Seal in Response to OIA
 15 as to "Drive Source"
 30 Chin Li 4-1012

7 Seal in Response to OIA
 15 as to "BLUE HILL"
 30 Np/200 1979-1

8

7 DL for FIF
 15 LIQUID LEVEL DETECTION
 30 INDUSTRIAL CONTROL 2047-1

8 DL for FIF
 15 DUCT COOLER APPARATUS
 30 GEN TECH 1101-185

9 Seal in Response to OIA
 15 as to "BANTA DI PUGLIA"
 30 D. Russo 1722-98

10 DL for annuity to
 15 Australia for
 30 Volence file -
 45 (Aust. Pol. 749412)

11 DL for MF to Canada
 15 for Volence 1606-10
 30 Chamber LIFT

12 Seal in Response to OIA
 15 as to "CE-CE COLLECTION"
 30 Mergat as file

1 DL for Response to OIA
 15 as to "Lampshade"
 30 Chin Li 4-1047

2 DL for Response to OIA
 15 as to "Litter Box"
 30 Hanks 733, 006

3 Seal in IIF & I/D for
 15 Chin Li 4-1066
 30 Torque Wrench

4 Seal in Response to OIA
 15 as to "Chin Li 4-1132"
 30 Flame Control Valve

5 Seal in IIF & I/D for
 15 Chin Li 4-1075
 30 Hanks as Rack

6 Seal in IIF & I/D for
 15 Lighter Design
 30 D'Farrell 1823-19

7 Seal in Response to OIA
 15 as to "Tough Trailer"
 30 Chin Li 4-1194

8

7 DL for Response to OIA
 15 as to "007"
 30 Security 1905-16

8 DL for Seal V as X
 15 as to "PRECISION"
 30 Shepherd 1228-30

9 DL for Response to OIA
 15 as to "XPODE"
 30 March 1811-55

10 DL for Response to OIA
 15 as to "VI BUILDING"
 30 VP 1818-210

11 DL for Seal V as X
 15 as to "LITTER MOBILE"
 30 Hanks 733, 007

12 Seal in annuity to Canada
 15 for Gen. Tech 1101-49
 30 Bolster

1 Volence to Response
 15 to OIA as to "EL SHUT"
 30 Nagano 900, 085

2 Seal annuity to CPA for
 15 Europe for Gen. Tech
 30 1101-49 - Bolster

3 DL for IIF & I/D
 15 for "Barbarian Grill"
 30 Chin Li 4-1065

4 DL for MF for
 15 Chin Li 4-1148

5 DL for MF for
 15 Chin Li 4-1185

6 Seal in Response to OIA
 15 as to "Reactor"
 30 Song 1203-77

7 Seal in annuity to
 15 CPA as to "H 1216-12"
 30 Proj. 2000

8 RYAN CUNNICK of
 15 Sprague Ferguson at
 30 11:00-11:30

45